

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

	L #	Hits	Search Text
1	L1	427	(assign\$4 designat\$3 creat\$3) with (address id identifier) with (email mail messag\$3) not ("1998" "1999" "2000" "2001" "2002" "2003" "2004").ay. and (tree directory file adj system hierarch\$4) same (subdirectory level)
2	L2	23	(user client subscriber) adj5 (assign\$4 designat\$3 creat\$3) with (address id identifier) near3 (email mail messag\$3) not ("1998" "1999" "2000" "2001" "2002" "2003" "2004").ay. and (tree directory file adj system hierarch\$4) same (subdirectory level)
3	L3	0	(send\$3 tranmit\$4 forward\$3) adj3 (messageid channelid id identifier) with ("as" "same" associat\$2) with (reply plies return receiv\$3 recipient) and 2
4	L4	1	(send\$3 tranmit\$4 forward\$3) with (global\$2 unique universal) adj3 (messageid channelid id identifier address) with (reply plies return receiv\$3 recipient) and 2
5	L5	2	(global\$2 unique universal) adj3 (messageid channelid id identifier address) with (reply plies return receiv\$3 recipient) and 2
6	L6	59	(global\$2 unique universal) adj3 (messageid channelid id identifier address) with (reply replies return receiv\$3 recipient) and (user client subscriber customer) adj5 (assign\$4 select\$4 modif\$4 edit\$4 designat\$3 creat\$3) with (address id identifier) near3 (email mail messag\$3)
7	L7	8	6 not ("1998" "1999" "2000" "2001" "2002" "2003" "2004").ay. and (tree directory file adj system hierarch\$4) same (subdirectory level)
8	L9	31	6 not ("1998" "1999" "2000" "2001" "2002" "2003" "2004").ay.
9	L10	23	9 not 7
10	L11	198	(global\$2 unique universal) adj3 (messageid keyword tag\$4 id identifier address) with (reply plies return receiv\$3 recipient) and (user client subscriber) adj5 (assign\$4 designat\$3 select\$4creat\$3) with (address id identifier keyword tag\$4)

	L #	Hits	Search Text
11	L12	14	11 not ("1998" "1999" "2000" "2001" "2002" "2003" "2004").ay. and (tree directory file adj system hierarch\$4 topology) same (subdirectory level)
12	L13	46	(user client subscriber) adj5 (select\$4 designat\$3 creat\$3) with (address id identifier tag keyword pointer indicator vector refrenc\$3 adj (number value)) with (email mail messag\$3) not ("1998" "1999" "2000" "2001" "2002" "2003" "2004").ay. and (tree directory file adj system topologyhierarch\$4) same (subdirectory level)
13	L17	22	(user client subscriber) adj5 (select\$4 designat\$3 creat\$3) with (global\$2 unique\$2 universal) adj3 (address id identifier tag keyword pointer indicator vector referenc\$3 adj (number value)) with (email mail messag\$3 packet frame cell file document) not ("1998" "1999" "2000" "2001" "2002" "2003" "2004").ay.
14	L18	2354	(identif\$4 assign\$3 attach\$3 select\$4 designat\$3 creat\$3) with (email mail messag\$3 file document) not ("1998" "1999" "2000" "2001" "2002" "2003" "2004").ay. and associat\$2 with (reply respon\$3) with (email mail messag\$3 file document)
15	L19	127	(identif\$4 assign\$3 attach\$3 select\$4 designat\$3 creat\$3) with (global\$2 unique\$2 universal specific) with (email mail messag\$3 file document) not ("1998" "1999" "2000" "2001" "2002" "2003" "2004").ay. and associat\$2 with (global\$2 unique\$2 universal specific) with (reply respon\$3) with (email mail messag\$3 file document)
16	L20	23	19 and (tree directory file adj system hierarch\$4 topology) same (subdirectory level)

	L #	Hits	Search Text
1	L1	9	(assign\$4 designat\$3 creat\$3) with (address id identifier) with (email mail messag\$3) same (associat\$2 relate\$3 correspon\$4 insert attach\$4) with (address id identifier) with (repl\$3 respon\$3 return receiv\$3 recipient forward\$3 transmi\$4) and (messag\$3 email mail).ab. and (user client subscriber custom\$4) with (assign\$4 designat\$3 creat\$3) with (address id identifier) not ("1998" "1999" "2000" "2001" "2002" "2003" "2004").ay. and (tree directory file adj system hierarch\$4) same (subdirectory level)
2	L2	19	("same") adj3 (address id identifier) with (email mail messag\$3) with (repl\$3 respon\$3 return receiv\$3 recipient forward\$3 transmi\$4) and (messag\$3 email mail).ab. not ("1998" "1999" "2000" "2001" "2002" "2003" "2004").ay. and (tree directory file adj system hierarch\$4) same (subdirectory level)
3	L3	1	("same") adj3 (address id identifier) with (email mail messag\$3) with (associat\$2 attach\$4 relat\$3 correspon\$4 refer\$6) with (repl\$3 respon\$3 return receiv\$3 recipient forward\$3 transmi\$4) and (messag\$3 email mail).ab. not ("1998" "1999" "2000" "2001" "2002" "2003" "2004").ay. and (tree directory file adj system hierarch\$4) same (subdirectory level)
4	L4	228	(address id identifier) with (associat\$2 attach\$4 relat\$3 correspon\$4 refer\$6) with (repl\$3 respon\$3 return receiv\$3 recipient forward\$3 transmi\$4) and (messag\$3 email mail).ab. not ("1998" "1999" "2000" "2001" "2002" "2003" "2004").ay. and (tree directory file adj system hierarch\$4) same (subdirectory level)
5	L5	96	4 and (customiz\$3 (user client subscriber) adj3 (select\$4 creat\$3 assign\$3 design\$5))
6	L6	39	4 and (customiz\$3 (user client subscriber) adj3 (select\$4 creat\$3 assign\$3 design\$5))with (address id identifier)

	L #	Hits	Search Text
7	L7	4882	(transmi\$4 send\$3 "same" forward\$3) near10 (address id identifier) with (associat\$2 attach\$4 relat\$3 correspon\$4 refer\$6) with (repl\$3 respon\$3 return receiv\$3 recipient)
8	L8	5	6 and 7
9	L9	4345	(transmi\$4 send\$3 forward\$3) near10 (address id identifier) with ("same" associat\$2 attach\$4 relat\$3 correspon\$4 refer\$6) with (repl\$3 respon\$3 return receiv\$3 recipient) near10 (address id identifier)
10	L10	421	9 and (customiz\$3 (user client subscriber) adj3 (select\$4 creat\$3 assign\$3 design\$5))with (address id identifier)
11	L11	158	(email mail messag\$3).ab. and 10
12	L12	44	(email mail messag\$3).ab. and 10 and map\$4
13	L13	28	709/\$\$\$ and 12
14	L14	1070	(send\$3 tranmit\$4 froward\$3) adj3 (number address id identifier) with ("as" "same" associat\$2) with (reply plies return receiv\$3 recipient)
15	L15	94	14 and (customiz\$3 (user client subscriber) adj3 (select\$4 creat\$3 assign\$3 design\$5))with (address id identifier)
16	L16	41	(email call\$3 mail messag\$3).ab. and 15
17	L18	19	16 and (tree topology directory)
18	L19	216	(send\$3 tranmit\$4 froward\$3) adj3 (messageid channelid id identifier) with ("as" "same" associat\$2) with (reply plies return receiv\$3 recipient)
19	L20	26	19 and (customiz\$3 (user client subscriber) adj3 (select\$4 creat\$3 assign\$3 design\$5))with (address id identifier)
20	L21	11	20 and (tree topology directory)

	Hits	Search Text
1	5463	(assign\$4 designat\$3 creat\$3) with (address id identifier) with (email mail messag\$3)
2	23539	(associat\$2 relate\$3 correspon\$4 insert attach\$4) with (address id identifier) with (repl\$3 respon\$3 return receiv\$3 recipient forward\$3 transmi\$4)
3	618	((assign\$4 designat\$3 creat\$3) with (address id identifier) with (email mail messag\$3)) same ((associat\$2 relate\$3 correspon\$4 insert attach\$4) with (address id identifier) with (repl\$3 respon\$3 return receiv\$3 recipient forward\$3 transmi\$4))
4	20606	first adj (level branch) same second adj (level branch)
5	4	((assign\$4 designat\$3 creat\$3) with (address id identifier) with (email mail messag\$3)) same ((associat\$2 relate\$3 correspon\$4 insert attach\$4) with (address id identifier) with (repl\$3 respon\$3 return receiv\$3 recipient forward\$3 transmi\$4))) and (first adj (level branch) same second adj (level branch)) and (tree directory hierarch\$4)
6	417	((assign\$4 designat\$3 creat\$3) with (address id identifier) with (email mail messag\$3)) same ((associat\$2 relate\$3 correspon\$4 insert attach\$4) with (address id identifier) with (repl\$3 respon\$3 return receiv\$3 recipient forward\$3 transmi\$4)) and (messag\$3 email mail).ab.
7	25	((assign\$4 designat\$3 creat\$3) with (address id identifier) with (email mail messag\$3)) same ((associat\$2 relate\$3 correspon\$4 insert attach\$4) with (address id identifier) with (repl\$3 respon\$3 return receiv\$3 recipient forward\$3 transmi\$4)) and (messag\$3 email mail).ab.) and subsequen\$4 near3 (repl\$3 respon\$4 return\$3)
8	8560	(user client subscriber custom\$4) with (assign\$4 designat\$3 creat\$3) with (address id identifier)
9	184	((assign\$4 designat\$3 creat\$3) with (address id identifier) with (email mail messag\$3)) same ((associat\$2 relate\$3 correspon\$4 insert attach\$4) with (address id identifier) with (repl\$3 respon\$3 return receiv\$3 recipient forward\$3 transmi\$4)) and (messag\$3 email mail).ab.) and ((user client subscriber custom\$4) with (assign\$4 designat\$3 creat\$3) with (address id identifier))

	Hits	Search Text
10	58	((assign\$4 designat\$3 creat\$3) with (address id identifier) with (email mail messag\$3)) same ((associat\$2 relate\$3 correspon\$4 insert attach\$4) with (address id identifier) with (repl\$3 respon\$3 return receiv\$3 recipient forward\$3 transmi\$4)) and (messag\$3 email mail).ab.) and ((user client subscriber custom\$4) with (assign\$4 designat\$3 creat\$3) with (address id identifier)) not ("1997" "1998" "1999" "2000" "2001" "2002" "2003" "2004").ay.
11	17	((assign\$4 designat\$3 creat\$3) with (address id identifier) with (email mail messag\$3)) same ((associat\$2 relate\$3 correspon\$4 insert attach\$4) with (address id identifier) with (repl\$3 respon\$3 return receiv\$3 recipient forward\$3 transmi\$4)) and (messag\$3 email mail).ab.) and ((user client subscriber custom\$4) with (assign\$4 designat\$3 creat\$3) with (address id identifier)) not ("1997" "1998" "1999" "2000" "2001" "2002" "2003" "2004").ay.) and (tree directory) and level
12	9	((assign\$4 designat\$3 creat\$3) with (address id identifier) with (email mail messag\$3)) same ((associat\$2 relate\$3 correspon\$4 insert attach\$4) with (address id identifier) with (repl\$3 respon\$3 return receiv\$3 recipient forward\$3 transmi\$4)) and (messag\$3 email mail).ab.) and ((user client subscriber custom\$4) with (assign\$4 designat\$3 creat\$3) with (address id identifier)) not ("1997" "1998" "1999" "2000" "2001" "2002" "2003" "2004").ay.) and (tree directory) same level

	L #	Hits	Search Text
1	L1	3126	(messag\$3 email mail) with (id identifier) with (reply\$3 respon\$4 return\$3)
2	L2	4053	(user cleitn subscriber customer consumer recipient) with (assign\$3 design\$6 creat\$3) with (id identifier)
3	L3	465	1 and 2
4	L4	113	1 same 2
5	L5	19	1 same 2 and subsequen\$4 with (reply\$3 respon\$4)
6	L6	1	("6216168").PN.
7	L7	1526	(user client subscriber customer consumer recipient) adj20 (assign\$3 design\$6 creat\$3) adj20 (id identifier)
8	L8	7	1 same 7 and (sequen\$4 subsequen\$4) with (reply\$3 respon\$4)
9	L9	3661	(user client subscriber customer consumer recipient) with (assign\$3 creat\$3) with (id identifier)
10	L10	2932	(id identifier) with (associat\$2 accord\$4 based) with (reply\$3 respon\$4 return\$3)
11	L11	6	9 same 10 and subsequen\$4 with (reply\$3 respon\$4)
12	L12	19006	(assign\$3 creat\$3) with (id identifier)
13	L13	4274	(id identifier) with (link pointer indicator refere\$4 associat\$2 accord\$4 based) with (reply\$3 replies respon\$4 return\$3)
14	L14	343	(messag\$3 email mail).ab. and 12 and 13
15	L15	115	14 and (user client subscriber customer consumer recipient) with (assign\$3 creat\$3) with (id identifier)
16	L16	18	15 and (sequen\$4 subsequen\$4) near3 (reply\$3 replies respon\$4)
17	L17	72	15 and (user client subscriber customer consumer recipient) near5 (assign\$3 creat\$3) with (id identifier)
18	L18	15	16 and (user client subscriber customer consumer recipient) near5 (assign\$3 creat\$3) with (id identifier)

	L #	Hits	Search Text
19	L19	10	16 and (user client subscriber customer consumer recipient) near5 (assign\$3 creat\$3) adj30 (id identifier)